

Frame

Everything is about relationships: Shadow to light, surface to depth. The distance between us. With a deeper meaning, Frame gives life to movement in storage.

Create shadow play and dynamos with frames and modules where the square is the base. By combining different materials and colors, you can build voids, and create relationships.

Lightly chamfered edges, precisely joined corners, and high finish, contribute to an exclusive expression. But if you get really close, it is the surface you notice, among the shadows.

Design	Addi
Environment	Indoor
Material	The cabinets are made of FSC certified mdf, veneer or chipboard.
Country of origin	Sweden
Certificates	FSC-STD-40-004 V3-0, FSC-STD-40-005 V3-1, FSC-STD-40-007 V2-0, FSC-STD-50-001 V2-0 EN 16121:2013+A1:2018 Static load test for tops and bottoms 750 N Durability of pivoted doors 40000 cycles
Preassembled	Fully assembled
Repairability	Doors and planters can be replaced.
Features	Mitred corners, soft closing, push to open and lockable doors. Plastic liner is including in the planter.
Accessories	Folder, Holder, Key lock, Numbering, RFID lock, L-shelf, Computer holder.

Standard colours

Cabinets, Doors & Plinth



White MFC




WP Ash Veneer




Oak Veneer



Dimensions



FRD 8/8-4
H: 800 mm, 31.5"
W: 800 mm, 31.5"
D: 550 mm, 21.6"




FR 4/4-O
H: 400 mm, 15.7"
W: 400 mm, 15.7"
D: 450 mm, 17.7"



FR 4/4-1
H: 400 mm, 15.7"
W: 400 mm, 15.7"
D: 450 mm, 17.7"




FR 8/4-2
H: 400 mm, 15.7"
W: 800 mm, 31.5"
D: 450 mm, 17.7"




FR 4/8-2
H: 800 mm, 31.5"
W: 400 mm, 15.7"
D: 450 mm, 17.7"




FR 4/8-1
H: 800 mm, 31.5"
W: 400 mm, 15.7"
D: 450 mm, 17.7"




FR8/8-4
H: 800 mm, 31.5"
W: 800 mm, 31.5"
D: 450 mm, 17.7"




FR8/8-2
H: 800 mm, 31.5"
W: 800 mm, 31.5"
D: 450 mm, 17.7"




FR8/12-6
H: 1200 mm, 47.2"
W: 800 mm, 31.5"
D: 450 mm, 17.7"



FR 4/12-3
H: 1200 mm, 47.2"
W: 400 mm, 15.7"
D: 450 mm, 17.7"



FR 8/16-8
H: 1600 mm, 63"
W: 800 mm, 31.5"
D: 450 mm, 17.7"




FR8/16-4
H: 1600 mm, 63"
W: 800 mm, 31.5"
D: 450 mm, 17.7"




FR4/16-4
H: 1600 mm, 63"
W: 400 mm, 15.7"
D: 450 mm, 17.7"



FR4/16-2
H: 1600 mm, 63"
W: 400 mm, 15.7"
D: 450 mm, 17.7"



FRD 8/16
H: 1600 mm, 63"
W: 800 mm, 31.5"
D: 550 mm, 21.6"



FRD 8/12
H: 1200 mm, 47.2"
W: 800 mm, 31.5"
D: 550 mm, 21.6"



FR PLANTER
H: 245mm, 9.6"
W: 800 mm, 31.5"
D: 450 mm, 17.7"



FRS 4
H: 100 mm, 3.9"
W: 400 mm, 15.7"
D: 400 mm, 15.7"



FRS 8
H: 100 mm, 3.9"
W: 800 mm, 31.5"
D: 400 mm, 15.7"



FR SITTDYNA 800
H: 40 mm, 1.5"
W: 800 mm, 31.5"
D: 468 mm, 18.4"



FR SITTDYNA 800D
H: 40 mm, 1.5"
W: 800 mm, 31.5"
D: 936 mm, 36.8"



FRS 12
H: 100 mm, 3.9"
W: 1200 mm, 47.2"
D: 400 mm, 15.7"



FR SITTDYNA 1200
H: 40 mm, 1.5"
W: 1200 mm, 47.2"
D: 468 mm, 18.4"



FRS 16
H: 100 mm, 3.9"
W: 1600 mm, 63"
D: 400 mm, 15.7"



FR SITTDYNA 1600
H: 40 mm, 1.5"
W: 1600 mm, 63"
D: 468 mm, 18.4"